



# TOWN OF BOW

## Drinking Water Protection Committee

10 Grandview Road, Bow, New Hampshire 03304

(603) 223-3970 | [bowdrinkingwater@bownh.gov](mailto:bowdrinkingwater@bownh.gov) | [www.bownh.gov](http://www.bownh.gov)

Location: Bow Municipal Building, 10 Grandview Road, Conference Room C

Time: 5:30 – 6:30 PM

### AGENDA

Monday, March 2, 2020

#### 1. APPROVAL OF JANUARY 2020 MEETING MINUTES AND FEBRUARY 2020 MEETING SUMMARY.

#### 2. TASKS FROM LAST MEETING

##### Ms. Klevens

- Submit letter to School about the Lead Testing in schools – *continued*.
- Contact the last daycare (Rockwood Acres on Clough Rd) to obtain their lead testing results – *continued*.
- Ask Town Manager if he wants the Committee to coordinate the application for renewal of the Large Groundwater Withdrawal permit due April 2020 and if he authorizes testing of the municipal wells for sodium and chloride – *continued*.

##### Mr. Kraybill

- Contact WhiteWater representative to obtain past chloride and conductivity monitoring results, propose further testing if authorized by Town Manager, and inquire about the evaluation of possible Iron Sequestering for the production wells – *continued*.

##### Mr. Hooper

- Contact NH Boy Scouts Troop 75 Master to coordinate and solicit their cooperation for advertising our next annual Private Well Testing event for June 2020 - *continued*.

##### Ms. Waskin

- Update the SWP Activities Table document with Ms. Klevens.
- Review water conservation ordinances in other municipalities.

##### Ms. Snegach

- Book a room at the BFL for water well testing infosession.

#### 3. OLD BUSINESS

See tasks above.

#### 4. NEW BUSINESS

- Source Water Protection Activities Table Update for 2020
- Coordination with new White Water Contract Water Operator representative, Chris Culberson
- Large GW Withdrawal Permit Renewal Package due April 6, 2020
- Annual Water Testing and Followup Events 2020
- BDWPC Table Display at Town Voting, March 11, 2020

Next Meeting – **April 6, 2020 at 5:30 pm**. What topics should be covered?